

# **GRAPPLE DEMOLITION TOOLS**



Rammer® RGP Grapples have been designed and tested with demolition in mind. The RGP Grapples are suitable for demolition and material handling: robust for heavy work, but also accurate for picking and sorting applications. They offer large volume for bulk loading, making it also ideal for waste handling

### **APPLICATIONS**



Excavation



Construction



Demolition



Recycling



Crushing & Screening





#### **LOWER OPERATING COSTS**

The protected rotation system allows precision tool placement resulting in lowering owning and operating costs

#### FIELD REPLACEABLE WEAR PARTS


Designed for quick and easy maintenance

#### RAMMER READY


Same bolt pattern as Rammer hammers


## **HEAVY DUTY COMPONENTS**

Extreme durability for any application ensures long component life span



# Rammer® RGP09R





Cna	aifia	stiono
Sue	CIIIC	ations

Minimum working weight	1540 lbs (700 kg)
Weight	1340 lbs (610 kg)
Max jaw opening	64.96" (1650 mm)
Jaw width	23.62" (600 mm)
Max operating pressure	4350 psi / 300 bar
Rotation	360 °
Carrier weight range	15400 lbs - 24300 lbs (7-11 T)
olume / Material capacity (inside jaws when closed)	79 gal (300 L)

Specifications are subject to change without notice



Developed and tested in the harshest of conditions, the foundations of Rammer products are quality, operational reliability and maximized productivity. Long working life and durability ensure our attachments can be used efficiently and economically no matter the challenge at hand, making Rammer a sustainable choice.

Sandvik Rock Processing Solutions

www.rammer.com

